

Operational Equations of State.

2. The Generalized Courant-Friedrichs Equation of State for Condensed Matter

by M. A. Grinfeld

ARL-TR-5745 September 2011

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of the use thereof.

Destroy this report when it is no longer needed. Do not return it to the originator.

Army Research Laboratory

Aberdeen Proving Ground, MD 21005-5066

ARL-TR-5745 September 2011

Operational Equations of State. 2. The Generalized Courant-Friedrichs Equation of State for Condensed Matter

M. A. Grinfeld Weapons and Materials Research Directorate, ARL

Approved for public release; distribution is unlimited.

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY)	2. REPORT TYPE	3. DATES COVERED (From - To)	
September 2011	Final	1 January 2011–8 January 2011	
4. TITLE AND SUBTITLE	•	5a. CONTRACT NUMBER	
Operational Equations of State.	. 2. The Generalized Courant-Friedrichs Equation of		
State for Condensed Matter		5b. GRANT NUMBER	
		5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)		5d. PROJECT NUMBER	
M. A. Grinfeld		FPDT14A	
		5e. TASK NUMBER	
		5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAM	ME(S) AND ADDRESS(ES)	8. PERFORMING ORGANIZATION	
U.S. Army Research Laborator	у	REPORT NUMBER	
ATTN: RDRL-WMP-B		ARL-TR-5745	
Aberdeen Proving Ground, MD	21005-5066		
9. SPONSORING/MONITORING AGEN	CY NAME(S) AND ADDRESS(ES)	10. SPONSOR/MONITOR'S ACRONYM(S)	
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STA	ATEMENT	L	

12. DISTRIBUTION/AVAILABILITY STATEMENT

Approved for public release; distribution is unlimited.

13. SUPPLEMENTARY NOTES

14. ABSTRACT

The equation of state (EOS) with separable internal energy played a big role in the analysis of dynamics of condensed matter and development of the mathematical basis of the shock-wave physics (Courant, R.; Friedrichs, K. O. Supersonic Flow and Shock Waves; Interscience: New York, 1948). For such models, the internal energy density E, as a function of the specific volume V and entropy density S, can be presented as $E(V,S) = \Delta(V) + X(S)$, where functions $\Delta(V)$ and

X(S) should be determined from experiment. We call this model the Courant-Friedrichs (CF) EOS. We suggest a generalized Courant-Friedrichs (gCF) EOS based on three functional degrees of freedom. It includes the CF EOS as a special case. The additional degree of freedom allows us to consider additional physical phenomena. We discuss the interrelations between the newly introduced gCF EOS and several classical EOS, including the incomplete Mie-Grüneisen EOS and its complete extensions. We also discuss how the three functions can be recovered from experimental data.

15. SUBJECT TERMS

complete EOS, Mie-Grüneisen, EOS, thermodynamics, shock waves, data conversion

16. SECURITY CLASSIFICATION OF:		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON M. A. Grinfeld	
a. REPORT	b. ABSTRACT	c. THIS PAGE	T 1T 1	10	19b. TELEPHONE NUMBER (Include area code)
UNCLASSIFIED	UNCLASSIFIED	UNCLASSIFIED	UU	18	(410) 278-7030

Contents

Acknowledg	ments	iv
1. Introdu	ction	1
2. The Sug	gested Model	2
3. Recover	ry of the Functions $X(S)$, $\Omega(V)$, and $\Delta(V)$ From Experiment	4
4. Discussi	ion and Conclusion	5
5. Referen	ces	7
Distribution	List	8

Acknowledgments

The author is grateful to Drs. Steven Segletes and Ralph Mennikov for useful discussions.

1. Introduction

Fundamentals of thermodynamics were developed during two centuries. The primary notion of thermodynamics is the notion of the equation of state (EOS), which was originally associated with something later coined as the thermal EOS. Later, it was changed and replaced with the concept of one of the thermodynamic potentials referred to canonical variables. There are several reviews describing the evolution of the topic and its current state-of-the-art (1-5).

The role of the EOS can be played by (1) the internal energy density E(V,S), referred to as its canonical variables—the specific volume V and entropy S; (2) the free energy density F(V,T), referred to as its canonical variables—specific volume V and absolute temperature T; and (3) the entropy density S(V,E), referred to its canonical variables—specific volume V and the internal energy E, etc.

Finding the appropriate EOS is very important for any discipline using continuum description of media. Phenomenological thermodynamics suggests some canonical experiments to determine the required thermodynamic potential. The recommended methodology guarantees thermodynamic consistency of the model. In other words, this methodology guarantees that the model obeys the First and Second laws of thermodynamics.

The idealized experiments, recommended by theoretical thermodynamics, are not easy or even impossible to realize practically (e.g., when dealing with planets or celestial bodies). Therefore, different theoretical and experimental techniques for establishing the EOS have been suggested.

A combination of different approaches and data can easily violate thermodynamic consistency of newly suggested models. For instance, the classical models of the ideal and van der Waals gases are thermodynamically consistent with the assumption of the heat capacity C_V , depending solely on the absolute temperature, and are incompatible with the more general models of heat capacity. As it was demonstrated in Davis (6), the classical models of the Mie-Grüneisen EOS are thermodynamically consistent with the assumption of the heat capacity C_V , depending solely on the entropy density S, and are incompatible with more general models of heat capacity.

Contrary to the essentially canonized basic principles of thermodynamics, the demand for novel EOS always remains strong. This happens because of the permanent appearing novel substances or because of the necessity of working within extended ranges of thermodynamic parameters.

Development of novel EOS is unthinkable without further progress of the phenomenological thermodynamics itself. No single EOS can work for all substances and all ranges of thermodynamic parameters. The progress and revision should take into account novel types of experiments, not just those idealized experiments considered in the classical textbooks.

Thermodynamics and theory of shocks contain strong mathematical cores which should also be further developed. The models appropriate for deep mathematical analysis are certain abstractions of the practically used EOS. By sacrificing some details, mathematical analysis allows a much deeper analysis. One such model was analyzed in Courant and Friedrichs (7). We suggest its generalization in the next section.

2. The Suggested Model

The generalized Courant-Friedrichs (gCF) EOS is defined by the following relationship:

$$E(V,S) = X(S)\Omega(V) + \Delta(V), \tag{1}$$

where V is the specific volume, S is the specific entropy, E is the specific internal energy, and X(S), $\Omega(V)$, $\Delta(V)$ are three functions. The functions X(S), $\Omega(V)$, $\Delta(V)$ should be specified based on available experimental data. Thus, we arrive at the EOS based on three functions of one variable each—X(S), $\Omega(V)$, and $\Delta(V)$.

The gCF EOS satisfies the following differential equation:

$$\frac{\partial^2}{\partial V \partial S} \ln \frac{\partial E(V, S)}{\partial S} = 0.$$
 (2)

The gCF EOS generalizes the Courant-Friedrichs (CF) EOS with the separable internal energy:

$$E(V,S) = X(S) + \Delta(V), \qquad (3)$$

which is specified by two functions—X(S) and $\Delta(V)(7)$.

The CF EOS found various applications in modeling shocks in condensed liquid media. It is not only useful for practical needs but also permits deep mathematical analysis; this cannot be overestimated. As it was obvious from the very beginning, the CF EOS has limited applicability. For instance, the Grüneisen parameter associated with this model vanishes identically. Because of this, we think it makes sense to analyze the properties and practical applicability of the gCF EOS (equation 1).

Using equation 1, we arrive at the following formulas of the absolute temperature T(V,S) and pressure P(V,S) for the gCF EOS:

$$T(V,S) = \frac{dX(S)}{dS}\Omega(V), \ P(V,S) = -X(S)\frac{d\Omega(V)}{dV} - \frac{d\Delta(V)}{dV}.$$
 (4)

According to equation 4, the absolute temperature appears to be the product of the functions of S and V.

Also, using thermodynamic identities, we arrive at the following formulas of the heat capacity at constant volume $C_V(V,S)$ and the Grüneisen parameter $\Gamma(V,S)$:

$$\frac{1}{C_V(V,S)} = \frac{d}{dS} \ln \frac{dX(S)}{dS},\tag{5}$$

and

$$\Gamma(V,S) = -V \frac{d \ln \Omega(V)}{dV}.$$
 (6)

Equations 5 and 6 show that for the gCF EOS, the heat capacity C_V appears to be the function of the entropy S only, whereas the Grüneisen assumption is satisfied automatically:

$$C_{V}(V,S) = C_{V}(S), \Gamma(V,S) \equiv \Gamma(V). \tag{7}$$

It was demonstrated in reference δ that independence of Γ of S and independence of the heat capacity of C_V of V are mutually related facts because of the universal and elegant thermodynamic identity:

$$\frac{\partial}{\partial S} \frac{\Gamma(V,S)}{V} = -\frac{\partial}{\partial V} \frac{1}{C_V(V,S)}.$$
 (8)

As any thermodynamic function of state, the Grüneisen function (parameter) can be expressed in different sets of thermodynamic parameters. It can, of course, look different depending on the choice of independent thermodynamic variables. Among the many presentations of the Grüneisen parameter are the following two (8):

$$\Gamma(V,E) \equiv V \frac{\partial P(V,E)}{\partial E}, \ \Gamma(V,S) \equiv -\frac{\partial \ln T(V,S)}{\partial \ln V}.$$
 (9)

Per the terminology of reference 7, equations 1 and 3 should be treated as the complete EOS, whereas equations 5–7 can be treated only as the incomplete EOS.

In the case of constant heat capacity C_V , we get

$$X(S) = C_V e^{\frac{S - S^*}{C_V}}, \qquad (10)$$

and the gCF EOS can be presented in the following form:

$$E(V,S) = C_V e^{\frac{S-S^*}{C_V}} \Omega(V) + \Delta(V). \tag{11}$$

Thus, in this case, the gCF has only two functional degrees of freedom.

3. Recovery of the Functions X(S), $\Omega(V)$, and $\Delta(V)$ From Experiment

The completeness of the EOS is an important feature. On the other hand, the completeness of the EOS in no way guarantees its practical usefulness. It only guarantees its compatibility with the First and Second Laws of Thermodynamics. This compatibility is important but not sufficient for ultimate success. The EOS can be useful not being complete and can be complete not being useful.

Real usefulness of the EOS comes from comparing it with experimental data. Fortunately, the generalized gCF has three functional degrees of freedom—X(S), $\Omega(V)$, and $\Delta(V)$, which matches various existing experimental data. If the data is reliable and the experiments are chosen wisely, there is a reasonable chance of obtaining useful EOS.

What is the useful set of experiments? It depends on the intended applications. For instance, measurements of the heat capacity at 0 K, however precise they are and however useful they are for the low-temperature physics, can be quite misleading if the intended application deals with modeling a supersonic projectile penetrating through a thick metallic or ceramic wall and vice versa.

For determining functions X(S), $\Omega(V)$, and $\Delta(V)$, each set of experiments requires its own formula of conversion. Next, we provide one example of the experiments, giving the flavor of the typical formulas of the conversion. These formulas are basically certain integral operators.

Let us first choose the reference configuration (V^*, S^*) . We will also use the superscript "*" for all quantities relating to the referenced configuration. Naturally, in order to recover the three functions, we need three sets of measurements. We will consider the following set of canonical experimental measurements.

Let the first experiment be the isochoric heating at $V = V^*$. It determines the heat capacity $C_V(S)$ at constant volume as a function of the entropy density. Let the second experiment be the static adiabatic loading corresponding to the reference value $S = S^*$ of the entropy density. Let $T_S^* = T_S^*(V)$ and $P_S^* = P_S^*(V)$ be the values of the absolute temperature and pressure on that very adiabata.

Then, the measured functions $C_V(S)$, $T_S^* = T_S^*(V)$, and $P_S^* = P_S^*(V)$ determine the functions X(S), $\Omega(V)$, and $\Delta(V)$ and recover the corresponding gCF EOS. The recovered equation reads as follows:

$$E(V,S) = T_S^* \left(V\right) \int_{S^*}^{S} d\boldsymbol{\xi} e^{S^*} \int_{V_S^*}^{\xi} d\boldsymbol{\eta} C_V^{-1}(\boldsymbol{\eta}) - \int_{V_S^*}^{V} d\boldsymbol{\varpi} P_S^* \left(\boldsymbol{\varpi}\right) + E^*,$$
(12)

where E^* is the internal energy density in the reference configuration.

In other words, the formulas of conversion for this set of experiments read

$$X(S) = \int_{S^*}^{S} d\xi e^{\int_{S^*}^{\xi} d\eta C_V^{-1}(\eta)}, \quad \Omega(V) = T_S^*(V), \quad \Delta(V) = \int_{V^*}^{V} d\boldsymbol{\varpi} P_S^*(\boldsymbol{\varpi}).$$
 (13)

In the case of constant heat capacity, the EOS (equation 12) can be rewritten as follows:

$$E(V,S) = C_V T_S^* (V) e^{\frac{S-S^*}{C_V}} - \int_{V^*}^{V} d\boldsymbol{\varpi} P_S^* (\boldsymbol{\varpi}) + E^*.$$
(14)

When the Hugoniot adiabata data (9, 10) is used instead of the data relating to the static adiabata, the inversion formulas (equation 13) should be considerably modified. Additional important aspects should be considered when dealing with substances undergoing phase transformations (see references 9-11).

4. Discussion and Conclusion

Following the footprints of Courant and Friedrichs (7), we suggested a novel complete EOS called the gCF EOS. The gCF EOS depends on three functions of one variable.

For the case of two available experiments, isochoric and adiabatic loading, we established explicit formulas (equations 12 and 13), which converted the experimental data into the gCF EOS. The conversion was reduced to using certain integral operations. These integral operations are stable regarding small perturbations of experimental data.

The *thermodynamic Grüneisen parameter* should be clearly distinguished from *the Grüneisen assumption* and *the Mie-Grüneisen EOS*. The Grüneisen parameter for any two-parameter media is a thermodynamic function of state, i.e., function of any two chosen thermodynamic parameters. It is a meaningful notion applicable to any two-parameter media. The Grüneisen assumption is the hypothetical statement applicable to a limited set of substances. The

Grüneisen assumption claims that the Grüneisen parameter is a function of the specific volume only. The Mie-Grüneisen EOS is the incomplete EOS based on the Grüneisen assumption.

In fact, the Mie-Grüneisen EOS is the canonical example of the *operational* EOS. It can be presented in the following form:

$$P(V,E) = P_{\gamma}(V) + \left[E - E_{\gamma}(V)\right] \frac{\Gamma(V)}{V} , \qquad (15)$$

where the functions $P_{\gamma}(V)$, $E_{\gamma}(V)$, and $\Gamma(V)$ are functions to be determined from experimental data. It is the example of the incomplete EOS for hydrocode. Indeed, as any EOS, it is a function of two variables—V and E. At the same time, equation 15 defines an operator transforming experimentally measured functions $P_{\gamma}(V)$ and $E_{\gamma}(V)$ into an incomplete EOS.

For the gCF EOS, the Grüneisen assumption is automatically satisfied. In other words, the Grüneisen parameter appeared to be the function of the volume only, whereas the heat capacity appeared to be the function of the entropy density only. The gCF EOS is, in fact, the most general form of the complete EOS that is compatible with the Grüneisen assumption.

Other examples of complete EOS will be given in the forthcoming papers of this set of reports.

5. References

- 1. MacDonald, J. R. Review of Some Experimental and Analytical Equations of State. *Rev. Mod. Phys.* **1969**, *41*, 316–349.
- 2. Zharkov, V. N.; Kalinin, V. A. *Equations of State for Solids at High Pressures and Temperatures*; Consultants Bureau, 1971.
- 3. Anderson. O. L. *Equations of State of Solids for Geophysics and Ceramic Science*; Oxford University Press: New York, 1995.
- 4. Eliezer, S.; Ghatak, A.; Hora, H. *Fundamentals of Equations of State*; World Scientific: Singapore, 2002.
- 5. Menikoff, R. *Empirical EOS for Solids*. In *Shock Wave Science and Technology Reference Library*, 2, *Solids 1*; Horie, I., Ed.; Springer Publishing: New York, 2007.
- 6. Davis, W. C. Complete Equation of State for Unreacted Solid Explosive. *Combustion and Flame* **2000**, *120* (*3*), 399–403.
- 7. Courant, R.; Friedrichs, K. O. *Supersonic Flow and Shock Waves*; Interscience: New York, 1948.
- 8. Segletes, S. B. *Constraints on the Grüneisen Theory;* ARL-TR-4041; U.S. Army Research Laboratory: Aberdeen Proving Ground, MD, 2007.
- 9. Zel'dovich, Ya. B.; Raizer, Yu. P. *Physics of Shock Waves and High-Temperature Hydrodynamic Phenomena*; Dover, 2002.
- 10. Landau, L. D.; Lifshits, E. M. Fluid Mechanics; Pergamon Press: Elmsford, NY, 1989.
- 11. Grinfeld, M. A. *Thermodynamic Methods in the Theory of Heterogeneous Systems*; Longman: New York, 1991.

NO. OF

COPIES ORGANIZATION

1 DEFENSE TECHNICAL
(PDF INFORMATION CTR
only) DTIC OCA
8725 JOHN J KINGMAN RD
STE 0944
FORT BELVOIR VA 22060-6218

- 1 DIRECTOR
 US ARMY RESEARCH LAB
 IMNE ALC HRR
 2800 POWDER MILL RD
 ADELPHI MD 20783-1197
- 1 DIRECTOR
 US ARMY RESEARCH LAB
 RDRL CIO LL
 2800 POWDER MILL RD
 ADELPHI MD 20783-1197
- 1 DIRECTOR
 US ARMY RESEARCH LAB
 RDRL CIO MT
 2800 POWDER MILL RD
 ADELPHI MD 20783-1197
- 1 DIRECTOR
 US ARMY RESEARCH LAB
 RDRL D
 2800 POWDER MILL RD
 ADELPHI MD 20783-1197

NO. OF COPIES	<u>ORGANIZATION</u>	NO. OF COPIES	<u>ORGANIZATION</u>
1	LOS ALAMOS NATIONAL LAB J BOETTGER MS F699 LOS ALAMOS NM 87545	1	SANDIA NATIONAL LABS S SCHUMACHER MS 0836 ALBUQUERQUE NM 87185
1	LOS ALAMOS NATIONAL LAB S CROCKETT MS B221 LOS ALAMOS NM 87545	1	SANDIA NATIONAL LABS E STRACK MS 0378 ALBUQUERQUE NM 87185
1	LOS ALAMOS NATIONAL LAB M T GREENFIELD MS P915 LOS ALAMOS NM 87545	1	SANDIA NATIONAL LABS T VOGLER LIVERMORE CA 94550
1	LOS ALAMOS NATIONAL LAB S R GREENFIELD MS J565 LOS ALAMOS NM 87545	3	LAWRENCE LIVERMORE NATL LABS L BENEDICT M A BARRIOS A TEWELDEBERHAN
1	LOS ALAMOS NATIONAL LAB R MENIKOFF MS B214 LOS ALAMOS NM 87545	1	7000 EAST AVE LIVERMORE CA 94550 NAVAL SURFACE WARFARE CTR
1	LOS ALAMOS NATIONAL LAB B J JENSEN MS B952 LOS ALAMOS NM 87545	1	RESEARCH AND TECHLGY DEPT G T SUTHERLAND INDIAN HEAD MD 20640
1	LOS ALAMOS NATIONAL LAB J N JOHNSON LOS ALAMOS NM 87545	1	APPLIED RESEARCH ASSOC D GRADY 4300 SAN MATEO BLVD A-220 ALBUQUERQUE NM 87110
1	LOS ALAMOS NATIONAL LAB B PLOHR MS B213 LOS ALAMOS NM 87545	1	US AIR FORCE RESEARCH LAB MUNITIONS DIRCTRT Y HORIE
1	LOS ALAMOS NATIONAL LAB L SMILOWITZ MS P915 LOS ALAMOS NM 87545	2	EGLIN AFB FL 32542 THE JOHNS HOPKINS UNIV
1	LOS ALAMOS NATIONAL LAB D PRESTON LOS ALAMOS NM 87545		DEPT OF MECH ENGRG K T RAMESH T W WRIGHT 232 LATROBE HALL 3400 N CHARLES ST
1	SANDIA NATIONAL LABS J H CARPENTER MS 1322 ALBUQUERQUE NM 87185	2	BALTIMORE MD 21218 UNIVERSITY AT STONY BROOK
2	SANDIA NATIONAL LABS M DESJARLAIS MS 1189 T R MATTSON MS 1189		J GLIMM R SAMULYAK STONY BROOK NY 11794-3600
1	ALBUQUERQUE NM 87185 SANDIA NATIONAL LABS R J MAGYAR MS 1322 ALBUQUERQUE NM 87185	2	UNIVERSITY OF SOUTH FLORIDA DEPT OF PHYSICS I OLEINIK V ZHAKHOVSKY TAMPA FL 33620

NO. OF NO. OF **COPIES ORGANIZATION** COPIES ORGANIZATION US ARMY RESEARCH OFFICE UNIV OF UTAH **DEPT OF MECH ENGRG** RDRL ROI R BRANNON **B WEST** 50 S CENTRAL CAMPUS DR **BLDG 4300** SALT LAKE CITY UT 84112 **DURHAM NC 27703** UNIV OF CALIFORNIA US ARMY RESEARCH OFFICE DEPT OF MECH & ARSPC ENGRG RDRL ROI M V NESTERENKO J MYERS 9500 GILMAN DR **BLDG 4300** LA JOLLA CA 92093-0411 **DURHAM NC 27703** US ARMY RESEARCH OFFICE UNIV OF MD DEPT OF MECHANICAL ENGRG RDRL ROE M R ARMSTRONG **J PRATER** COLLEGE PARK MD 20742 D STEPP BLDG 4300 UNIV OF COLORADO AT BOULDER **DURHAM NC 27703** DEPT OF CIVIL ENGRG & ARCHITECTURAL ENGRG US ARMY RESEARCH OFFICE R A REGUEIRO RDRL ROE N 428 UCB ECOT 441 R ANTHINIEN 1111 ENGRG DR BLDG 4300 BOULDER CO 80309-0428 **DURHAM NC 27703** ROBERT R MCCORMICK SCHOOL US ARMY RESEARCH OFFICE 3 OF ENGRG & APPLIED SCI **J LAVERY** H ESPINOSA D MANN 633 CLARK ST S MATHAUDHU **EVANSTON IL 60208** BLDG 4300 **DURHAM NC 27703** UNIV OF MISSOURI **DEPT OF CHEMISTRY** ABERDEEN PROVING GROUND T SEWELL 72 COLUMBIA MO 65211-7600 **DIR USARL RDRL WM** UNIV OF MD **B FORCH** DEPT OF MATERIALS SCI & ENGRG J MCCAULEY M KUKLJA S KARNA COLLEGE PARK MD 20742 P PLOSTINS RDRL WMP B STANFORD UNIV R BECKER **DEPT OF AERONAUTICS &** S BILYK **ASTRONAUTICS** D CASEM R CHRISTENSEN J CLAYTON **DURAND BLDG 496** D DANDEKAR LOMITA MALL J FITZPATRICK M GRINFELD (20 CPS) STANFORD CA 947305-4035 C HOPPEL US ARMY RESEARCH OFFICE R KRAFT RDRL RO **B LEAVY** D SCUTRUD D POWELL BLDG 4300 M RAFTENBERG **DURHAM NC 27703** M SCHEIDLER

NO. OF

COPIES ORGANIZATION

- T WEERASOORIYA
- **C WILLIAMS**
- RDRL WMP C
 - T BJERKE
 - S SEGLETES
 - W WALTERS
- RDRL WML B
 - **I BATYREV**
- J BRENNAN
- S IZVEKOV
- B RICE
- RDRL CIH C
 - P CHUNG
 - J CAZAMIAS
 - J KNAP
- RDRL WMM G
 - I ANDZELM
 - F BEYER
 - J LENHART
 - **B RINDERSPACHER**
- RDRL WMP E
 - W GOOCH
 - **B LOVE**
 - C KRAUTHAUSER
- RDRL WMM E
 - J ADAMS
 - L KECSKES
 - J LASALVIA
 - P PATEL
 - J SWAB
 - M WILL-COLE
- RDRL WMM B
- B CHEESEMAN
- C FOUNTZOULAS
- G GAZONAS
- RDRL SER L
- W NOTHWANG
- RDRLWML H
 - M FERMEN-COKER
- RDRL WMP
- **B BURNS**
- S SCHOENFELD
- RDRL WMP D
 - H MEYER
- RDRL WMP G
 - R BANTON
 - S KUKUCK

NO. OF COPIES ORGANIZATION

- 1 CAVENDISH LAB
 MOTT BLDG RM 316B
 JJ THOMSON AVE
 M CHAUDHRI
 CAMBRIDGE CB3 0HE
 UNITED KINGDOM
- 1 LOUGHBOROUGH UNIV
 WOLFSON SCHOOL OF MECH &
 MANUFACTURING ENGRG
 LOUGHBOROUGH
 V SILBERSCHMIDT
 LE11 3TU
 UNITED KINGDOM
- 1 UNIVERSITY OF LIVERPOOL DEPT OF ENGRG BROWNLOW HILL LIVERPOOL OUYANG L69 3GH UNITED KINGDOM
- 4 AWE ALDERMARSTON READING
 BERKSHIRE RG7 4PR
 N BOURNE
 J C F MILLETT
 G A COX
 C M ROBINSON
 UNITED KINGDOM
- 1 DEFENCE SCI & TECHLGY ORGANISATION WEAPONS SYSTEMS DIVISION A RESNYANSKY EDINBURGH SA 5111 AUSTRALIA
- 1 CSIRO EXPLORATION & MINING PO BOX 883 KENMORE QLD 4069 F D STACEY AUSTRALIA
- 1 MOSCOW STATE UNIV INSTITUTE OF MECHANICS MICHURINSKIŒ PR 1 S S GRIGORYAN MOSCOW 117192 RUSSIA

NO. OF COPIES ORGANIZATION

- 1 STEKLOV MATHEMATICAL INSTITUTE GUBKINA AV 8 A G KULIKOVSKII MOSCOW 117966 RUSSIA
- 1 LANDAU INSTITUTE FOR THEORETICAL PHYSICS N INOGAMOV RAS CHERNOGOLOVKA 142432 RUSSIA
- 5 JOINT INSTITUTE FOR HIGH TEMPERATURE PHYSICS RUSSIAN ACADEMY OF SCIENCES V FORTOV V GRYAZNOV G KANEL M LOMONOSOV S RAZORENOV JIHT RAS MOSCOW 125412 RUSSIA
- 1 INSTITUTE OF CONTINUOUS MEDIA MECHANICS URAL BRANCH OF RAS O B NAIMARK 1 ACAD KOROLEV STR PERM 614013 RUSSIA
- 1 BEN GURION UNIVERSITY
 DEPARTMENT OF MECHANICAL
 ENGRG
 E B ZARETSKY
 PO BOX 653
 BEER SHEVA 84105
 ISRAEL
- 1 RAFAEL PO BOX 2250 Y PARTOM HAIFA 31021 ISRAEL